IBM MQ Appliance


Session AME-4166

Andrew Schofield

IBM.

InterConnect 2015

The Premier Cloud & Mobile Conference



Introducing IBM MQ Appliance



- The scalability and security of IBM MQ V8
 - Integrates seamlessly into MQ networks and clusters
 - Familiar administration model for administrators with MQ skills
- The convenience, fast time-to-value and low total cost of ownership of an appliance
- Ideal for use as a messaging hub running queue managers accessed by clients, or to extend MQ connectivity to a remote location
- General availability 13 March 2015

Why an appliance?

- Fixed hardware specification allows IBM to tune the firmware
 - Having fewer POVs makes it easier to deploy and manage
 - Less performance tuning should be needed
- Standardisation accelerates deployment
 - Repeatable and fast, less configuration/tuning required
 - Post-deployment resource definition or lock down before deployment
- "Hub" pattern separates messaging from applications/middleware
 - Organisational independence from application teams
 - Improved availability, due to reduction of downtime
 - Predictable performance, simpler capacity planning
- Simplified ownership
 - Self-contained: avoids dependencies on other resources/teams
 - Licensing: Simpler than calculating licensing costs (e.g. by PVU)
 - Security: Easier to assess for security compliance audit

Key characteristics of the IBM MQ Appliance

- "MQ V8" (+/-) delivered as a state-of-the-art appliance
- Built using the latest DataPower appliance hardware and OS
- Firmware includes the MQ V8 product and capabilities
 - Participates in MQ networks or clusters
 - Existing MQ applications connect as clients, with no code changes
- Two models, to suit different uses and performance requirements
 - Either model of appliance can run multiple queue managers, subject to overall throughput
- Familiar administration concepts and syntax, with a choice of interfaces
- Familiar security model for authentication and authorisation of messaging users, with greater flexibility for scalable administration
- Built-in High Availability
 - Per queue manager monitoring and automatic restart/failover
 - Without external dependencies like shared file systems or disks



Comparison between IBM messaging appliances



Two separate appliances for two different environments



IBM MessageSight

Supports edge, mobile and M2M device messaging

For deployment in the DMZ or behind the firewall

Physical and virtual appliance




IBM MQ Appliance

MQ v8 to support enterprise messaging

For deployment behind the enterprise firewall

Physical appliance only

Expected Usage Patterns



IBM.

InterConnect2015

The Premier Cloud & Mobile Conference

Expected uses of the IBM MQ Appliance

How an appliance may help to achieve the following requirements

Messaging HubOne or more dedicated messaging servers to which

applications connect

Messaging Outpost A messaging server located in a remote location with

limited skills and facilities

Messaging Gateway A dedicated server that handles all traffic from a

remote messaging system

Messaging Partner A messaging server located in a business partner

that needs to resilient and safe connectivity to your

MQ infrastructure

Simplify Complex Messaging Estate




Objective

 You need to reduce overall costs and want to reduce the number and diversity of servers that are running MQ, standardising for efficiency and ease of future migration

Challenges

- Mixture of platforms and versions
- Complex dependencies; impact analysis is difficult
- Migrations are difficult due to lack of standardisation
- Application downtime impacts messaging and hence other applications




Messaging Hub using the IBM MQ Appliance



Benefits

- The appliance is easy to deploy, has familiar MQ admin interfaces, supports existing MQ definitions and security
- The firmware has fewer POVs and supports rapid migrations
- Downtime reduced by separating applications and middleware
- Appliance HA avoids external dependencies such as storage team



Provision connectivity to a remote location



Objective

- You need resilient connectivity to a remote part of your organisation, e.g. a branch, factory, warehouse
- Extend MQ messaging beyond your datacenter to a remote location with limited infrastructure...and scarce local MQ skills

Challenges

- Geographic remoteness suggests that you may have to rely on getting outside assistance
- It would be very difficult or impossible to support failover due to the difficulty of provisioning a shared file system, shared disk or SAN in the remote location






Messaging Outpost using the IBM MQ Appliance



Benefits

- Order one or a pair of appliances to be delivered on-site, or preconfigure appliances and dispatch them to the remote site
- Following simple physical deployment, remotely configure and manage the appliances
- HA without external dependencies



Isolation of Partner Connection




Objective

- You need to extend connectivity to an external business partner and want to tightly control what the partner can connect to and the resources affected by partner traffic
- You decide to deploy an MQ gateway to which the partner channel will connect

Challenges

 You don't want to spend the cost/time it would take to build a server, with operating system, utilities and middleware and provision for HA






Messaging Gateway using the IBM MQ Appliance



Benefits

- The MQ appliance is easy to deploy and manage with familiar MQ admin interfaces
- A pair of appliances can provide HA without introducing external dependencies






Remote Partner Connectivity

Objective

- Your organisation wants to on-board a business partner as quickly as possible
- The business partner needs to connect to your organisation using MQ; but the partner does not have MQ skills
- You want to be confident that the MQ configuration (which is outside your domain) is correct and meets your organisation's standards

Challenges

 The partner could use a 3rd party vendor, but ideally you'd like to verify yourself that the solution meets your standards






Messaging Partner using the IBM MQ Appliance

Benefits

- The MQ appliance is easy to physically deploy and you can preconfigure it so all the partner need do is plug in and go
- A pair of appliances could provide HA at the partner location without requiring external dependencies that the partner might struggle to provide







MQ Appliance Capabilities

TDM

InterConnect2015

The Premier Cloud & Mobile Conference



Administration



- Command-line Interface
 - Supports appliance-specific commands such as configuring network interfaces, importing certificates, ...
 - Also offers a familiar subset of MQ control commands
 - You can also use MQSC interactively, or run scripts remotely
- MQ Console
 - Browser-based UI for administering the appliance
 - Avoids maintenance of rich client installations
 - Very convenient for proofs-of-concept and developer use
- MQ Explorer
 - Essential for existing administrators
- PCF
 - Supports remote administration using all of the existing MQ tools

Security

- An appliance administrator can be authorised to perform MQ administration
 - Can separate roles of appliance administrator and messaging administrator
 - Both are separate from messaging users
- The appliance supports secure connectivity over SSL/TLS
 - Certificates can be imported to the appliance
- The appliance supports scalable security administration
 - For a small number of messaging users, you can define them locally
 - For larger communities, you can use an off-board repository
 - Using external LDAP repository
 - Authorization checks can include group memberships from LDAP
 - Messaging users don't need to be defined in each server/appliance
- IBM does not recommend deploying a queue manager in the DMZ
 - "MQ Internet Pass-Thru" (MS81: MQIPT) provides tunnelling or proxy
 - IBM may add appropriate hardening in a future version of the appliance




Connectivity

- The IBM MQ Appliance supports a number of protocols for message transmission
 - MQ client protocol for connectivity from applications
 - Client libraries available in the usual places, not shipped with the appliance
 - MQ server protocol for connectivity with queue managers
 - This will support sender-receiver channels and server-requester channels, including cluster flows
- Subject to customer interest we may add further protocols such as:
 - MQTT for internet of things and mobile/web messaging
 - AMQP for MQ Light API client connectivity

High Availability



Primary Secondary



- A pair of MQ Appliances can be deployed as an HA group
 - HA group manage availability of HA queue managers
 - Automatic failover of HA queue managers
 - Failure detection for hardware and software problems
 - Supports manual failover for rolling upgrades
- Easier to set up than other HA solutions (no shared file system/disks)
- Replication is synchronous over Ethernet, for 100% fidelity
 - Routable but not intended for long distances

External Storage (Statement of Direction)

- The IBM MQ Appliance includes a fibre channel card
- IBM intends to support fibre channel connectivity to connect the IBM MQ Appliance to external storage
- This will enable additional capabilities, such as:
- Use of an external storage for QM data and log files.
 - Continues to support internal storage for HA
 - Storage can also be replicated for out-of-region recovery

Primary



Secondary

- External storage may be used to expand storage for SLAs with a very long outage requirement
 - Such as a consuming application down for an extended maintenance period

Performance and capacity

- The IBM MQ Appliance will be available in two models, to suit a range of performance and capacity requirements
 - Not priced on a PVU-basis
 - Model M2000A approximately 1400 PVUs
 - Model M2000B approximately 420 PVUs
- Appliance is dedicated to running messaging server workload
 - No other workload (applications or middleware)
 - Performance should be predictable
 - Capacity planning should be easier
- Performance report available soon
 - Appliance comes pre-tuned for best performance

Key differences compared with installable MQ

- "Hub" pattern; no applications deployed to the appliance
 - Applications must connect as remote clients
- No user exits can be run on the appliance
 - CHLAUTH and application activity trace
- Appliance-specific HA technology
 - With no shared file system or shared disk
- Authentication and authorisation via on-board or central repository
- Command-line interface on the appliance is not a generalpurpose shell
 - A few new commands, such as dspmqerr
 - No runmqlsr, because MQ listeners run under QM control



Demo



InterConnect2015

The Premier Cloud & Mobile Conference



Summary

- IBM MQ Appliance will be available on 13 March 2015
- Two models to suit different use cases and performance requirements
- Existing MQ features with simple deployment and administration
 - Including built-in HA support
 - Without customisation via exits
- Four expected usage patterns:
 - Messaging hub optimize messaging and separate applications
 - Messaging outpost easily deploy remote messaging server
 - Messaging gateway managed endpoint for inbound connectivity
 - Messaging partner confidently deploy remote connectivity

Come to the MQ Appliance Workshop

- We are pleased to announce a half day workshop in support of the recently announced IBM MQ Appliance M2000.
- Primarily intended for IBM customer facing contacts and also Business Partners or Customers, the workshop will provide presentations by the IBM developers and also some hands on exercises. There will be an opportunity for individual discussions with members of the development team, who will have specialised knowledge to help with your technical questions.
- The workshop is a free event but all attendees will be responsible for their own travel, accommodation and other costs.
- The focus of the workshop will be to provide an early understanding of the MQ Appliance capabilities and function, and to feed back comments directly to the product development team.
- The planned dates/time for the workshop is :
 - Thursday March 26th (09:30 to 14:30)
 - Location : IBM Hursley
- To enrol contact: Pete Murphy (pete_murphy@uk.ibm.com)

Notices and Disclaimers



Copyright © 2015 by International Business Machines Corporation (IBM). No part of this document may be reproduced or transmitted in any form without written permission from IBM.

U.S. Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM.

Information in these presentations (including information relating to products that have not yet been announced by IBM) has been reviewed for accuracy as of the date of initial publication and could include unintentional technical or typographical errors. IBM shall have no responsibility to update this information. THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IN NO EVENT SHALL IBM BE LIABLE FOR ANY DAMAGE ARISING FROM THE USE OF THIS INFORMATION, INCLUDING BUT NOT LIMITED TO, LOSS OF DATA, BUSINESS INTERRUPTION, LOSS OF PROFIT OR LOSS OF OPPORTUNITY. IBM products and services are warranted according to the terms and conditions of the agreements under which they are provided.

Any statements regarding IBM's future direction, intent or product plans are subject to change or withdrawal without notice.

Performance data contained herein was generally obtained in a controlled, isolated environments. Customer examples are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual performance, cost, savings or other results in other operating environments may vary.

References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business.

Workshops, sessions and associated materials may have been prepared by independent session speakers, and do not necessarily reflect the views of IBM. All materials and discussions are provided for informational purposes only, and are neither intended to, nor shall constitute legal or other guidance or advice to any individual participant or their specific situation.

It is the customer's responsibility to insure its own compliance with legal requirements and to obtain advice of competent legal counsel as to the identification and interpretation of any relevant laws and regulatory requirements that may affect the customer's business and any actions the customer may need to take to comply with such laws. IBM does not provide legal advice or represent or warrant that its services or products will ensure that the customer is in compliance with any law.

Notices and Disclaimers (con't)

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products. IBM does not warrant the quality of any third-party products, or the ability of any such third-party products to interoperate with IBM's products. IBM EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents, copyrights, trademarks or other intellectual property right.

IBM, the IBM logo, ibm.com, Bluemix, Blueworks Live, CICS, Clearcase, DOORS®, Enterprise Document Management System™, Global Business Services ®, Global Technology Services ®, Information on Demand, ILOG, Maximo®, MQIntegrator®, MQSeries®, Netcool®, OMEGAMON, OpenPower, PureAnalytics™, PureApplication®, pureCluster™, PureCoverage®, PureData®, PureExperience®, PureFlex®, pureQuery®, pureScale®, PureSystems®, QRadar®, Rational®, Rhapsody®, SoDA, SPSS, StoredIQ, Tivoli®, Trusteer®, urban{code}®, Watson, WebSphere®, Worklight®, X-Force® and System z® Z/OS, are trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at: www.ibm.com/legal/copytrade.shtml.

Thank You



IBM.

InterConnect2015

The Premier Cloud & Mobile Conference